



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/782,734	02/19/2004	Shafiq Ur Rahman	MS1-1848US	3409

22801 7590 08/05/2010
LEE & HAYES, PLLC
601 W. RIVERSIDE AVENUE
SUITE 1400
SPOKANE, WA 99201

EXAMINER

ITURRALDE, ENRIQUE W

ART UNIT	PAPER NUMBER
----------	--------------

2179

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

08/05/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

lhptoms@leehayes.com

Office Action Summary	Application No. 10/782,734	Applicant(s) RAHMAN ET AL.	
	Examiner ENRIQUE W. ITURRALDE	Art Unit 2179	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 March 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) See Continuation Sheet is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-2, 4-5, 7-9, 11-18, 20-26, 28, 30-35, 37-41, 44-45, 47-52, 54-62, 64-68, 70-79, 82-87 and 89-95 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Continuation of Disposition of Claims: Claims pending in the application are 1,2,4,5,7-9,11-18,20-26,28,30-35,37-41,44,45,47-52,54-62,64-68,70-79,82-87 and 89-95.

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3/16/2010 has been entered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein

Art Unit: 2179

were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-2, 4-5, 7-9, 12-18, 20-26, 28, 30-35, 37-41, 44-45, 47-52, 54-62, 64-68, 70-79, 82-87 and 89-90 and 94-95 are rejected under 35 U.S.C. 103(a) as being unpatentable over Deutscher (US 2004/0001106) in view of Chasen (US 6,760,721).

As per claim 1, Deutscher teaches a method comprising: receiving a request, from an application at an application programming interface (API), to interact with a plurality of media comprising streaming media [multimedia presentation production system and process of 0007]; and generating an original media timeline based on the request, wherein the original media timeline [timeline of 0011 and 0026]: is exposed to the application via the API [timeline of 0011 and 0026]; includes a plurality of nodes and defines a presentation, to be output via one or more computers, of a first said media referenced by a first node with respect to a second media referenced by a second node [tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; wherein: the first and second nodes are configured as parallel nodes such that the first node that is a child of a parent node is rendered concurrently with the second node that is a child of the same parent node [tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; and at least one node includes metadata [one of the tree elements is a master track file that contains indexing, timing and track metadata of 001], the metadata describing: rendering of the at least

one node [timing metadata of 0011]; and a collection of additional nodes to be dynamically modified when the original media timeline is rendered [metadata for dynamic changes to output during rendering of 0213-0221 and 0230].

Deutscher fails to expressly disclose the original media timeline is configured for dynamic creation such that at least one node is dynamically created while at least one of the media referenced by the plurality of nodes of the original media timeline is being rendered, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further

Art Unit: 2179

user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 2, Deutscher teaches: one or more nodes are configured as a sequence node such that one said node that is a child of the sequence node is rendered after another said node that is also a child of the sequence node [Fig 23].

As per claim 4, Deutscher teaches: one or more nodes is configured as a root node that specifies a starting point for rendering the original media timeline [root node of Figure 19].

As per claim 5, Deutscher teaches: the first and second nodes reference the respective first and second media utilizing respective first and second pointers [pointers to media of 0007].

As per claim 7, Deutscher teaches: metadata is a start time property that specifies when rendering of the at least one said node is to begin with respect to another said node [metadata of 0213-0221 and 0230].

As per claim 8, Deutscher teaches: at least one node is configured to reference an effect to be applied to an output of media referenced by the node [script commands and events of 0018].

As per claim 9, Chasen further teaches: the original media timeline is configured for dynamic loading such that metadata included in at least one said node specifies a collection of nodes to be loaded when the media timeline is rendered [making changes

Art Unit: 2179

to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* of lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 12, Deutscher teaches: at least one said node is configured for communication of events to another said node such that a change may be made to the original media timeline while the original media timeline is rendered [changes to an event on the timeline updates other of 0026].

As per claim 13, Deutscher teaches: the first and second said media have different formats [formats of 0007].

As per claim 14, Deutscher teaches: one or more computer readable media storing computer executable instructions that, when executed by a computer, direct the computer to perform the method above [computer readable media of 0073].

As per claim 15, Deutscher teaches a method comprising: generating a media timeline by an application, wherein the media timeline: includes a plurality of nodes [timeline of 0011 and 0026]; and defines a presentation of a first said media referenced by a first said node with respect to a second said media referenced by a second said node, the presentation being configured to be output by one or more computers [tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; and passing the media timeline to a timeline source for rendering [rendering of 0027-0028].

Deutscher fails to expressly disclose dynamic creation such that at least a first node grouping is created while media referenced by a second node grouping in the

Art Unit: 2179

media timeline is being rendered, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 16, the claim contains substantially the same subject matter as claim 13, and remains rejected using the same rationale.

As per claim 17, the claim contains substantially the same subject matter as claim 8, and remains rejected using the same rationale.

As per claim 18, the claim contains substantially the same subject matter as claim 9, and remains rejected using the same rationale.

As per claim 20, the claim contains substantially the same subject matter as claim 14, and remains rejected using the same rationale.

As per claim 21, Deutscher teaches a method for outputting a media presentation via one or more computers comprising: specifying an effect to be applied to one or more of a plurality of media when the media is rendered [script commands and events of 0018]; and generating a media timeline configured for exposure via an application programming interface (API) [timeline of 0011 and 0026], wherein: the media timeline includes a plurality of nodes [tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; two or more said nodes reference respective said media [tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; one or more of the plurality of nodes that reference the one or more plurality of media include metadata that controls the effect to be applied to one or more of the plurality of media when the media is rendered [metadata for dynamic changes to output during rendering of 0213-0221 and 0230]; and at least one node of the plurality of nodes includes metadata [one of the tree elements is a master track file that contains indexing, timing and track metadata of 001], the metadata describing: rendering of the at least one node of the plurality of nodes [timing metadata of 0011]; and a collection of additional nodes of the plurality of nodes to be dynamically modified when the at least one node of the plurality of nodes is rendered [metadata for dynamic

Art Unit: 2179

changes to output during rendering of 0213-0221 and 0230].

Deutscher fails to expressly disclose the media timeline is configured for dynamic creation such that at least one node of the plurality of nodes is created while the media timeline is being rendered, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by

Art Unit: 2179

Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 22, Deutscher teaches: the effect is a simple effect provided by a software component that is configured to: receive a single stream of media; apply the effect to the single stream; and output the applied single stream [script commands and events of 0018].

As per claim 23, Deutscher teaches: the effect is a composite effect provided by a software component that is configured to: receive at least two streams of media; apply the effect at least two streams; and output a applied single stream of media composed of the applied at least two streams [script commands and events of 0018].

As per claim 24, Deutscher teaches: the effect is a composite effect provided by a software component that is configured to analyze at least two streams of media or output at least two streams of media [script commands and events of 0018].

As per claim 25, Deutscher teaches: the effect is a transition effect to be applied as a transition from a first media referenced by a first said node to a second media referenced by a second node [script commands and events of 0018].

As per claim 26, the claim contains substantially the same subject matter as claim 7, and remains rejected using the same rationale.

As per claim 28, the claim contains substantially the same subject matter as claim 9, and remains rejected using the same rationale.

As per claim 30, the claim contains substantially the same subject matter as claim 11, and remains rejected using the same rationale.

As per claim 31, the claim contains substantially the same subject matter as

claim 12, and remains rejected using the same rationale.

As per claim 32, the claim contains substantially the same subject matter as claim 14, and remains rejected using the same rationale.

As per claim 33, Deutscher teaches in a media timeline exposed via an application programming interface and having a plurality of nodes, a method comprising: rendering [rendering of 0027-0028] a first media item of a plurality of media items, at least one of the plurality of media items comprising a streaming media item, the first media item being referenced by a first node of a first node type of a plurality of node types, the plurality of node types comprising a sequence node type that includes metadata describing a rendering order of a plurality of leaf nodes to the sequence node [tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; receiving a call for a second node that references a second media item [call for items of 0100 of timeline of 0011 and 0026]; and creating the second node of a second node type of the plurality of node types, while rendering the first media item [rendering presentation timeline of 0027-0028]; and wherein the media timeline is configured for dynamic updating such that metadata included in at least one node specifies a collection of nodes to be modified when the at least one node is loaded [metadata for dynamic changes to output during rendering of 0213-0221 and 0230].

Deutscher may fail to expressly disclose creating automatically, without user intervention, the second node of a second node type and the media timeline is configured for automatic dynamic updating, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata

Art Unit: 2179

and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and graphical user interface display of the timeline nodes [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 34, Deutscher teaches: rendering a second media item referenced by the second node when the rendering of the first media item is completed [rendering presentation timeline of 0027-0028].

As per claim 35, Deutscher teaches: rendering the second media item referenced

Art Unit: 2179

by the second node; receiving a call for a third node that references a third media item; and creating the third node [rendering of 0027-0028, calling for items of a timeline of 0100].

As per claim 37, Deutscher teaches: at least one node is configured to reference an effect to be applied to an output of media referenced by the node [script commands and events of 0018].

As per claim 38, Deutscher teaches: at least one node is specified as read-only [cannot be edited of 0017].

As per claim 39, Deutscher teaches: at least one said node is configured for communication of events to another said node such that a change may be made to the media timeline while the media timeline is rendered [changes to an event on the timeline updates other of 0026].

As per claim 40, Deutscher teaches: one or more computer readable media storing computer executable instructions that, when executed by a computer, direct the computer to perform the method above [computer readable media of 0073].

As per claim 41, Deutscher teaches in a media timeline exposed via an application programming interface, the media timeline having a plurality of nodes, at least two of which reference respective media, one or more nodes each having metadata that references a node grouping, a method comprising: utilizing a computer to load a first said node for rendering [rendering of 0027-0028], wherein the first node is selected from a plurality of node types, the plurality of node types comprising a parallel node type that includes metadata specifying a plurality of leaf nodes that are rendered

Art Unit: 2179

simultaneously [rendering of 0027-0028 of tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; examining metadata associated with the first node to determine a first said node grouping to be loaded in conjunction with the first node [metadata of 0213-0221 and 0230]; loading each said node referenced by the first node grouping; rendering the first node grouping [rendering of 0027-0028 of tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; examining one second node in the first node grouping to determine a second said node grouping, wherein the examining the at least one second node in the first node grouping is performed during the rendering of the first node grouping [rendering presentation timeline of 0027-0028]; loading each node referenced by the second node grouping [rendering of 0027-0028 of tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; and rendering the second node grouping when the rendering of the first said node grouping is completed [rendering of 0027-0028 of tree and nodes of 0011, 0023, 0163-0166 and Figure 19], wherein: and at least a fourth node is configured for communication of an initiated event to a fifth node which has subscribed to receive events initiated by the fourth node, such that a change is made to one or more nodes in the media timeline that are affected by the initiated event [changes to an event on the timeline updates other of 0026], wherein the one or more nodes of the media timeline that are affected by the initiated event are dynamically updated [changes to an event on the timeline updates other of 0026].

Deutscher fails to expressly disclose the media timeline is configured for dynamic creation where at least a third node is created while the media timeline is being rendered, the dynamic creation of the third node being performed by a node source that

Art Unit: 2179

includes data that defines properties and interrelationships of the created third node with respect to one or more nodes in the first node grouping or one or more nodes in the second node grouping, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 44, the claim contains substantially the same subject matter as claim 8, and remains rejected using the same rationale.

As per claim 45, the claim contains substantially the same subject matter as claim 11, and remains rejected using the same rationale.

As per claim 47, the claim contains substantially the same subject matter as claim 13, and remains rejected using the same rationale.

As per claim 48, the claim contains substantially the same subject matter as claim 14, and remains rejected using the same rationale.

As per claim 49, Deutscher teaches: a method comprising: exposing a media timeline via an application programming interface (API) [timeline of 0011 and 0026], the media timeline having a plurality of nodes, two or more nodes each referencing respective media at least one of which comprises streaming media [tree and nodes of 0011, 0023, 0163-0166 and Figure 19], rendering a first said node to output a referenced first said media [rendering of 0027-0028 of tree and nodes of 0011, 0023, 0163-0166 and Figure 19 for the output of a presentation]; during the rendering of the first node, changing one or more properties of a second said node; and initiating, by an event generator located on the second said node, an event for communication to a parent said node of the second said node, wherein the event describes the changing [changes to an event on the timeline updates others of 0026].

Deutscher fails to expressly disclose the media timeline is configured for dynamic loading such that metadata included in at least one node specifies a collection of nodes to be loaded when the media timeline is rendered, and during the rendering of the first

Art Unit: 2179

node, dynamically changing one or more properties of a second node, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 50, Deutscher teaches: the event is communicated to at least one

Art Unit: 2179

of an application over the API [changes to an event on the timeline updates other of 0026] and a timeline source for rendering the media timeline [rendering presentation timeline of 0027-0028].

As per claim 51, Deutscher teaches: one of the properties is node changed event [edit properties for change events of 0201].

As per claim 52, Deutscher teaches: one or more nodes is configured as a root node that specifies a starting point for rendering the media timeline [root node of Figure 19].

As per claim 54, Deutscher teaches a media timeline but fails to expressly disclose the media timeline is configured for dynamic creation such that at least one node is created while the media timeline is being rendered, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline.

Art Unit: 2179

It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 55, Deutscher teaches: at least one said node is configured for communication of events to another said node such that a change may be made to the media timeline while the media timeline is rendered [changes to an event on the timeline updates other of 0026].

As per claim 56, Deutscher teaches: at least one node is configured to reference an effect to be applied to an output of media referenced by the node [script commands and events of 0018].

As per claim 57, Deutscher teaches: one or more computer readable media storing computer executable instructions that, when executed by a computer, direct the computer to perform the method above [computer readable media of 0073].

As per claim 58, Deutscher teaches an application programming interface embodied on a computer storage medium, which when interfaced with a computer, exposes a media timeline to one or more independent applications, the application

Art Unit: 2179

programming interface comprising: each said node includes metadata that describes the node [metadata of 0213-0221 and 0230], the metadata comprising a source object property that specifies a source object which can resolve to a media source that provides the media referenced by the node [URL associated with node of 0165]; one or more said nodes reference a corresponding media item comprising a streaming media item [tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; the plurality of nodes are arranged in a tree structure [tree and nodes of 0011, 0023, 0163-0166 and Figure 19]; and the arrangement of the plurality of nodes, one to another, describes an order for rendering the plurality of nodes [tree and nodes of 0011, 0023, 0163-0166 and Figure 19; timeline of 0011 and Figure 23].

Deutscher fails to expressly disclose wherein the media timeline is configured for dynamic creation such that at least one node is created while the media timeline is rendered and at least one node is dynamically updated in response to the at least one node being created, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of

Art Unit: 2179

column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 59, Deutscher teaches a stop time property that specifies when rendering of the node is to stop with respect to another node [metadata of 0213-0221 and 0230].

As per claim 60, the claim contains substantially the same subject matter as claim 8, and remains rejected using the same rationale.

As per claim 61, the claim contains substantially the same subject matter as claim 6, and remains rejected using the same rationale.

As per claim 62, the claim contains substantially the same subject matter as claim 9, and remains rejected using the same rationale.

As per claim 64, the claim contains substantially the same subject matter as claim 11, and remains rejected using the same rationale.

As per claim 65, the claim contains substantially the same subject matter as claim 12, and remains rejected using the same rationale.

As per claim 66, Deutscher teaches an application programming interface stored on a computer storage medium, that when accessed by a computer facilitates acts comprising: exposing a media timeline to one or more independent applications, the media timeline comprising a plurality of nodes callable by one application, wherein: two or more said nodes reference respective media, one of which comprises streaming media [tree and nodes of 0011, 0023, 0163-0166 and Figure 19; timeline of 0011 and Figure 23]; the plurality of nodes are arranged in a hierarchy to include a parent said node and a child said node [tree and nodes of 0011, 0023, 0163-0166 and Figure 19; timeline of 0011 and Figure 23]; and the child said node is configured for initiating an event for communication to the parent said node, wherein the event: is configured such that a change may be made to one or more properties of the child node while the media timeline is rendered and describes the change such that additional nodes associated with the child node are updated in accordance with the communicated event [changes to an event on the timeline updates other of 0026].

Deutscher may fail to expressly disclose a change may be made to one or more properties of the child node while the media timeline is rendered and describes the change such that additional nodes associated with the child node are *dynamically updated* in accordance with the communicated event, as recited in the claim. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the

Art Unit: 2179

hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 67, Deutscher teaches: wherein another node, which is not a parent of the child node, subscribes to the child node to receive the event [changes to an event on the timeline updates other of 0026].

As per claim 68, Deutscher teaches: the event is initiated by the child node; and

Art Unit: 2179

one or more events initiated by children of the child node [changes to an event on the timeline updates other of 0026].

As per claim 70, the claim contains substantially the same subject matter as claim 51, and remains rejected using the same rationale.

As per claim 71, the claim contains substantially the same subject matter as claim 4, and remains rejected using the same rationale.

As per claim 72, the claim contains substantially the same subject matter as claim 9, and remains rejected using the same rationale.

As per claim 73, the claim contains substantially the same subject matter as claim 10, and remains rejected using the same rationale.

As per claim 74, the claim contains substantially the same subject matter as claim 8, and remains rejected using the same rationale.

As per claim 75, the claim contains substantially the same subject matter as claim 11, and remains rejected using the same rationale.

As per claim 76, Deutscher teaches an application programming interface embodied in an infrastructure layer of a computer that, when interacted with by an application facilitates actions comprising: exposing a media timeline comprising two or more nodes to the application [tree and nodes of 0011, 0023, 0163-0166 and Figure 19; timeline of 0011 and Figure 23]; enabling the application to call any of the one or more nodes [call for items of 0100 of timeline of 0011 and 0026], wherein each of the one or more nodes: references corresponding media, at least one of the corresponding media comprising streaming media while another of the corresponding media does not include

Art Unit: 2179

streaming media [media of 0007]; includes metadata describing one or more properties for rendering corresponding media [metadata of 0213-0221 and 0230]; and includes metadata specifying the node as read-only [input and output nodes are not changed of 0081].

Deutscher fails to expressly disclose configuring the media timeline for dynamic creation such that at least one of the one or more nodes is created while the media timeline is being rendered, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the

Art Unit: 2179

changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 77, Deutscher teaches a system comprising: a plurality of media comprising streaming media [media of 0011]; a plurality of applications [application programs of 0074]; and an infrastructure layer that: provides an application programming interface (API) for interaction by the plurality of applications with the plurality of media when any said application is executed [application programming interface of 0040]; and exposes a media timeline [timeline of 0011 and Figure 23], callable by the plurality of applications via the API upon an execution thereof [call of 0100], and that defines a presentation of the plurality of media [timeline presentation of 0011], wherein the media timeline: includes a plurality of nodes that each reference respective media [tree and nodes of 0011, 0023, 0163-0166 and Figure 19].

Deutscher fails to expressly disclose wherein the media timeline is configured for dynamic creation such that at least one node is created while the media timeline is rendered and is configured for dynamic loading such that metadata included in the at least one node created specifies a collection of nodes to be loaded when the media timeline is rendered, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes

Art Unit: 2179

to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 78, the claim contains substantially the same subject matter as claim 8, and remains rejected using the same rationale.

As per claim 79, Deutscher teaches: the media timeline defines a presentation of a first media referenced by a first node with respect to a second media referenced by a second node [tree and nodes of 0011, 0023, 0163-0166 and Figure 19; timeline of 0011 and Figure 23]; and at least one said node includes metadata that describes rendering

Art Unit: 2179

of the at least one node [metadata of 0213-0221 and 0230].

As per claim 82, Deutscher teaches: at least one node is specified as read-only [cannot be edited of 0017].

As per claim 83, Deutscher teaches: at least one said node is configured for communication of events to another said node such that a change may be made to the media timeline while the media timeline is rendered [changes to an event on the timeline updates other of 0026].

As per claim 84, Deutscher teaches a computer comprising: a processor and memory configured to maintain: a plurality of media [media of 0011]; a plurality of applications [application programs of 0074]; wherein each said application is configured to request at least one of editing, encoding, and rendering of the plurality of media [rendering of 0027-0028]; and an infrastructure layer configured to: provide an application programming interface (API) for interaction by the plurality of applications with the plurality of media [application programming interface of 0040]; and expose a media timeline [timeline of 0011 and Figure 23], callable by the plurality of applications via the API upon an execution thereof [call of 0100], and that defines a presentation of the plurality of media [timeline presentation of 0011], wherein the metadata describes: initiating rendering of the plurality of nodes [metadata of 0213-0221 and 0230]; properties and interrelationships of the plurality of nodes [metadata of 0213-0221 and 0230]; and node types of the plurality of nodes [metadata of 0213-0221 and 0230]; and dynamic change to the media timeline such that a group of nodes affected by a modification to an associated node are automatically updated in accordance with the

Art Unit: 2179

modification as specified in the properties and interrelationships of the plurality of nodes [metadata for dynamic changes to output during rendering of 0213-0221 and 0230]; at least one node that is configured for communication of events to another node that is configured for communication of events to another node such that a change may be made to the media timeline while the media timeline is being rendered [changes to an event on the timeline updates other of 0026]; and at least one node that is a parallel node that provides simultaneous rendering of at least two child nodes the child nodes including respective metadata and having respective pointers to respective media [tree and nodes of 0011, 0023, 0163-0166 and Figure 19; timeline of 0011 and Figure 23],

Deutscher fails to expressly disclose wherein the media timeline specifies delayed creation of one or more said nodes when the media timeline is rendered, as recited in the claims. In the same field of the invention, Chasen discloses receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change [lines 15-22 of column 2]. Further, Chasen teaches making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* [lines 9-19 of column 4 and lines 52-64 of column 4]. The dynamic updates include changes to the nodes and/or metadata including additions and/or deletions [lines 45-62 of column 13 and lines 1-7 of column 15]. Thus, the nodes and/or metadata affected by the change are automatically updated without any further user interaction (other than initial change) through the propagated dynamic

Art Unit: 2179

modification to the timeline. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher and Chasen before him at the time the invention was made, to modify the dynamic updating taught by Deutscher to include propagating the changes automatically of Chasen, in order to obtain a dynamically updating the additions of nodes/metadata by propagating the changes without further user interaction. One would have been motivated to make such a combination update a timeline without causing much delay and/or inconvenience to the user (i.e. without having to rebuild entire master tree or node table), as taught by Chasen [lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 86, the claim contains substantially the same subject matter as claim 9, and remains rejected using the same rationale.

As per claim 87, the claim contains substantially the same subject matter as claim 8, and remains rejected using the same rationale.

As per claim 88, the claim contains substantially the same subject matter as claim 12, and remains rejected using the same rationale.

As per claims 89 and 90, Deutscher teaches: a root node that specifies a starting point for rendering the media timeline [tree and nodes of 0011, 0023, 0163-0166 and Figure 19; timeline of 0011 and Figure 23], the root node including metadata that describes how rendering is to be initiated [one of the tree elements is a master track file that contains indexing, timing and track metadata of 001]; a leaf node that directly maps to media to be rendered and output, the leaf node including metadata that describes how rendering is supposed to be initiated; a sequence node that includes metadata that

Art Unit: 2179

describes a rendering order of a plurality of leaf nodes to the sequence node; and a parallel node that includes metadata specifying a plurality of leaf nodes that are rendered simultaneously [tree and nodes of 0011, 0023, 0163-0166 and Figure 19; timeline of 0011 and Figure 23].

As per claim 94, Chasen teaches wherein the media timeline is configured for dynamic loading such that metadata included in at least one node specifies a collection of nodes to be loaded when the media timeline is rendered, the collection of nodes comprising a parallel node that includes metadata specifying a plurality of leaf nodes for simultaneous rendering [receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change of lines 15-22 of column 2, making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline nodes* of lines 9-19 of column 4 and lines 52-64 of column 4].

As per claim 95, Chasen teaches wherein one or more nodes of the media timeline subscribes to events initiated by other nodes of the media timeline [receiving a change to a portion of the set of metadata and dynamically updating the display of the set of metadata and the hierarchy of category nodes to reflect the change of lines 15-22 of column 2, making changes to metadata or nodes themselves, and dynamically updating the entire master tree by propagating those changes throughout the entire master tree, database collection, and *graphical user interface display of the timeline*

nodes of lines 9-19 of column 4 and lines 52-64 of column 4].

Claims 11 and 91-93 are rejected under 35 U.S.C. 103(a) as being unpatentable over Deutscher/Chasen as applied to claim 1 above, and further in view of Smith (US 2003/0167356).

As per claim 11, Deutscher/Chasen teaches not editing the timeline [Deutscher 0017] but fails to expressly disclose: at least one node of the original media timeline is specified as read-only by creating a read-only wrapper of the original media timeline, as recited in the claim. In the same field of the invention Smith teaches specifying a read-only property by using a wrapper class [19562-19579]. It would have been obvious to one of ordinary skill in the art, having the teachings of Deutscher/Chasen and Smith before him at the time the invention was made, to modify metadata properties taught by Deutscher/Chasen to include a wrapper of Smith, in order to obtain a read-only wrapper to implement a read-only property. One would have been motivated to make such a combination to prevent modifications, as taught by Smith [19570].

As per claim 91, Smith teaches wherein a node specified as read-only disables functionality comprising one or more of: modifying the media timeline by other components while allowing dynamic changes to the original media timeline; or adding new children to the original media timeline while allowing other components to set custom metadata on the original media timeline nodes [prevent modifications of 19570].

As per claim 92, Smith teaches wherein the read-only wrapper contains cloned nodes that mirror a structure of the original media timeline [cloned instance of 10515].

As per claim 93, Smith teaches wherein the cloned nodes are configured to

Art Unit: 2179

subscribe to events generated on the nodes of the original media timeline such that the structure of cloned nodes is kept updated as the original media timeline changes [cloned instance supporting existing instance of 10515].

Response to Arguments

Applicant's arguments with respect to Claims 1-2, 4-5, 7-9, 12-18, 20-26, 28, 30-35, 37-41, 44-45, 47-52, 54-62, 64-68, 70-79, 82-87 and 89-90 have been considered but are moot in view of the new ground(s) of rejection made in view of Deutscher (US 2004/0001106) and Chasen (US 6,760,721).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ENRIQUE W. ITURRALDE whose telephone number is (571)270-3627. The examiner can normally be reached on Monday-Thursday 9 AM - 5 AM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weilun Lo can be reached on (571)272-4847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2179

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/E. W. I./
Examiner, Art Unit 2179

/Ba Huynh/

Primary Examiner, Art Unit 2179